

3M™ Novec™ 1230 Fire Protection Fluid  
Blue Sky™ Warranty



# Protect Your Investment

20-year protection against  
regulatory bans or restrictions  
on the use of 3M™ Novec™ 1230  
Fire Protection Fluid



# The 3M™ Blue Sky™ Warranty for 3M™ Novec™ 1230 Fire Protection Fluid

## Peace-of-Mind Protection Against Future Regulatory Bans or Restrictions

In recent years, concerns about environmental issues – especially those relating to climate change – have led to increasing regulatory scrutiny of fire protection compounds with high global warming potentials. These “greenhouse gases” include several conventional halon replacements, such as HFCs.

Although the use of HFCs in fire protection is allowed today, there is growing concern about their future viability. Regulators are continuing to scrutinize industries and applications (such as fire protection) where alternatives exist to reduce greenhouse gas emissions, without harming economic growth.

Fortunately, there is a sustainable halon replacement technology that can help protect you against the risk of future regulatory restrictions: 3M™ Novec™ 1230 Fire Protection Fluid.

In its approval of Novec 1230 fluid, the U.S. EPA noted, “By comparison to halon 1301 and other acceptable substitutes, this substitute significantly reduces overall risk to the environment.” In fact, 3M is so confident that Novec 1230 fluid will meet environmental and safety standards far into the future that we are offering the industry’s first warranty against losses arising from regulatory action: the 3M™ Blue Sky™ Warranty.

### Here’s how it works

If 3M™ Novec™ 1230 Fire Protection Fluid is banned from or restricted in use as a fire protection agent due to Ozone Depletion Potential (ODP), or Global Warming Potential (GWP), 3M will refund the purchase price of the Novec 1230 fluid. This warranty is good for 20 years. To qualify, you must register your system with 3M within 30 days of system commissioning and every 5 years thereafter.

Created  
for Life

For complete terms and conditions, or to register your system for the 3M Blue Sky Warranty, log on to [www.3M.com/novec1230fluid](http://www.3M.com/novec1230fluid).

### The fire protection fluid that’s setting a new standard.

Novec 1230 fluid is a next-generation halon replacement, designed to address concerns for human safety, performance and the environment. Unlike first-generation HFCs, Novec 1230 fluid has the key features defining sustainable clean agent protection:

- Zero ozone depletion potential
- A global warming potential of one
- Five-day atmospheric lifetime
- A large margin of safety for occupied spaces

3M Novec 1230 Fire Protection Fluid’s favorable environmental profile, low toxicity characteristics and excellent performance make it the right solution as a halon replacement alternative. Suitable for use in occupied spaces, Novec 1230 fluid can be effectively used for flooding, inerting and explosion suppression in applications including: Data Processing and Control Rooms; Telecommunications; Marine Applications; Oil and Gas Applications; Archives and Museums.



## The 3M™ Novec™ Brand Family

The Novec brand is the hallmark for a variety of patented 3M products. Although each has its own unique formula and performance properties, all Novec products are designed to address the need for safe, effective, sustainable solutions in industry-specific applications. These include precision and electronics cleaning, heat transfer, fire protection, lubricant deposition and several specialty chemical applications.

3M™ Novec™ Engineered Fluids • 3M™ Novec™ Aerosol Cleaners • 3M™ Novec™ 1230 Fire Protection Fluid • 3M™ Novec™ Electronic Coatings • 3M™ Novec™ Electronic Surfactants

United States	Canada	China	Europe	Japan	Korea	Singapore	Taiwan
3M Electronics Markets Materials Division 800 810 8513	3M Canada Company Specialty Materials 800 364 3577	3M China Ltd. 86 21 6275 3535	3M Belgium N.V. 32 3 250 7521	Sumitomo 3M Limited 813 3709 8250	3M Korea Limited 82 2 3771 4114	3M Singapore Pte. Ltd. 65 454 8611	3M Taiwan Limited 886 2 2704 9011

**Product Use:** All statements, technical information and recommendations contained in this document are based on tests or experience that 3M believes are reliable. However, many factors beyond 3M’s control can affect the use and performance of a 3M product in a particular application, including conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are uniquely within the user’s knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for the user’s method of application.

**Warranty and Limited Remedy:** Unless stated otherwise in 3M’s product literature, packaging inserts or product packaging for individual products, 3M warrants that each 3M product meets the applicable specifications at the time 3M ships the product. Individual products may have additional or different warranties as stated on product literature, package inserts or product packages. 3M MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user’s application. If the 3M product is defective within the warranty period, your exclusive remedy and 3M’s and seller’s sole obligation will be, at 3M’s option, to replace the product or refund the purchase price.

**Limitation Of Liability:** Except where prohibited by law, 3M and seller will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental, or consequential regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.



## Electronic Markets Materials Division 3M Electronics

3M Center  
Building 224-3N-11  
St. Paul MN 55144-1000  
[www.3M.com/novec1230fluid](http://www.3M.com/novec1230fluid)

Please recycle. Printed in USA.  
© 3M 2008. All rights reserved.  
Issued: 5/08. 6304HB  
60-5002-0141-7

3M and Novec are trademarks of 3M.  
Used under license by 3M subsidiaries  
and affiliates.